Index of Authors

with the titles of papers

ADYA, A. K., and Neilson, G. W.: The structure of molten ammonium nitrate by isotopic difference method of neutron diffraction, 747

ALAVI, A., and McDonald, I. R.: Molecular-dynamics simulation of argon physisorbed on magnesium oxide, 703

ANGLADA, J., BRUNA, P. J., and PEYERIMHOFF, S. D.: Theoretical investigation of the low-lying electronic states of TiH, 281

BALASUBRAMANIAN, K., see Wang, J. Z.

Balfour, W. J., Launila, O., and Klynning, L.: Fourier transform spectroscopy of MnH and MnD. Rotational analyses of the 846 nm and 1060 nm systems, 443

BARNICKEL, P., and WOKAUN, A.: Synthesis of metal colloids in inverse microemulsions, 1 BECKMANN, P. A., HATHORN, R. M., and MALLORY, F. B.: Proton Zeeman relaxation and

intramolecular reorientation in solid t-butylbenzene, 411
BEDANOV, V. M.: Computer simulation of cluster decay, 1011

Bell, A. J., and Frey, J. G.: Raman emission from the photolysis of NOCl at 266 nm, 943
 Berg, L.-E., Royen, P., and Weijnitz, P.: Lifetime measurements of CaCl, CaBr and SrCl. Radiative lifetimes of the B²\(\mathbf{\Sigma}\) states, 385

BERMEJO, F. J., see Esteban, A. L.

BISWAS, S. N., see Sun, T. F.

BODEN, N., see Kahol, P. K.

BOUBLIK, T.: Perturbation theory of pure quadrupolar hard gaussian overlap fluids, 497

Brouard, M., Martinez, M. T., O'Mahony, J., and Simons, J. P.: Energy and angular momentum disposals in the vibrationally mediated photodissociation of HOOH and HOOD. Intramolecular properties via photofragment mapping, 65

Brown, J. M., see Steimle, T. C.

Brown, M. F., Salmon, A., Henriksson, U., and Söderman, O.: Frequency dependent ²H N.M.R. relaxation rates of small unilamellar phospholipid vesicles, 379

BRUNA, P. J., see Anglada, J.

BURNELL, E. E., see Zimmerman, D. S.

CAILLOL, J. M., LEVESQUE, D., and WEIS, J. J.: Monte Carlo simulation of an ion-dipole mixture. A convergence study, 199

CARLEER, M., see Ndikumana, T.

COLIN, R., see Ndikumana, T.

CZUMAJ, Z.: Absorption coefficient and refractive index measurements of water in the millimetre spectral range, 787

Das, K. K., see Wang, J. Z.

DAVIDENKO, N. A., see Kuvshinsky, N. G.

DAVIES, P. B., and DAVIS, I. H.: Far infrared L.M.R. of X 2II NCO, 175

Davis, I. H., see Davies, P. B.

DE ALMEIDA, W. B., and HINCHLIFFE, A.: Ab initio vibrational spectrum of the H-bonded trimers (HCN)₂HF and HCN(HF)₂, 305

DE HAAG, P. U., SPOOREN, R., EBBEN, M., MEERTS, L., and HOUGEN, J. T.: Internal rotation in 1,4-dimethylnaphthalene studied by high resolution laser spectroscopy, 265

Delfs, C. D., and Figgis, B. N.: Magnetization density in trans-tetraamminedinitronickel(II), 401

DE SANTIS, A., and GREGORI, A.: Induced contributions in the Rayleigh band of gaseous H₂O, 715

DIEZ, E., see Esteban, A. L.

Downs, D. W., see Yenice, K. M.

EBBEN, M., see de Haag, P. U.

EDWARDS, P. P., ELLABOUDY, A. S., HOLTEN, D. M., and PYPER, N. C.: The chemical dynamics of Na in liquid 12-crown-4 solutions deduced from ²³Na nuclear spin relaxation rates, 209

ELLABOUDY, A. S., see Edwards, P. P.

ENGELS, B., see Karna, S. P.

ESTEBAN, A. L., GALACHE, M. P., DIEZ, E., SAN FABIAN, J., and BERMEJO, F. J.: Dependence of the dipolar couplings of tetrahydrofuran on the pseudorotation parameters, 429

Evans, D. J., see Murad, S.

EVANS, M. W., and HEYES, D. M.: Combined shear and elongational flow by non-equilibrium molecular dynamics, 241

FARANTOS, S. C., see Vegiri, A.

Figgis, B. N., see Delfs, C. D.

FISCHER, J., see Möller, D.

FLETCHER, D. A., see Steimle, T. C.

FOSTER, S. C., see Liu, X.

Frank, U. E., Herdeg, W., Ghosh, P. N., and Hüttner, W.: MW and mm wave spectra, octic-order centrifugal-distortion, ¹⁴N nuclear electric quadrupole coupling, and dipole moment of the gauche tetrafluorohydrazine conformer, N,F₄, 33

FREY, J. G., see Bell, A. J.

FREY, J. G., and HOLDSHIP, S. J.: Calculation of non-adiabatic matrix elements, 783

FURER, N., see Stranger, R.

GALACHE, M. P., see Esteban, A. L.

GHOSH, P. N., see Frank, U. E.

GIRARD, C., see Labani, B.

GOCHIN, M., PINES, A., ROSEN, M. E., RUCKER, S. P., and SCHMIDT, C.: Two-dimensional N.M.R. studies of flexible molecules in liquid crystals: orientational order and conformational probabilities of n-hexane, 671

GRAY, C. G., see Joslin, C. G.

GREGORI, A., see De Santis, A.

GREIN, F., see Karna, S. P.

GRUEBELE, M.: Numerical potential functions for diatomic molecules. The f-potentials of CF⁺ and CCl⁺, 475

GÜDEL, H., see Stranger, R.

HABASAKI, J.: Molecular dynamics simulation of molten Li₂CO₃ and Na₂CO₃, 115

HANLEY, H. J. M., see Wielopolski, P. A.

HARRISON, K. J., see McEwan, K. J.

HATHORN, R. M., see Beckmann, P. A.

HENDERSON, J. R., and TENNYSON, J.: Very highly excited vibrational states of LiCN using a discrete variable representation, 639

HENRIKSSON, U., see Brown, M. F.

HERDEG, W., see Frank, U. E.

HERNANDO, J. A.: Thermodynamic potentials and distribution functions. I. A general expression for the entropy, 319

HERNANDO, J. A.: Thermodynamic potentials and distribution functions. II. The HNC equation as an optimized superposition approximation, 327

HEYES, D. M.: Cluster analysis and continuum percolation of 3D square-well phases. MC and PY solutions, 559

HEYES, D. M., see Evans, M. W.

HINCHLIFFE, A., see De Almeida, W. B.

HOHM, U., and KERL, K.: Interferometric measurements of the dipole polarizability α of molecules between 300 K and 1100 K. I. Monochromatic measurements at $\lambda = 632.99$ nm for the noble gases and H_2 , N_2 , O_2 , and CH_4 , 803

HOHM, U., and KERL, K.: Interferometric measurements of the dipole polarizability α of molecules between 300 K and 1100 K. II. A new method for measuring the dispersion of the polarizability and its application to Ar, H₂, and O₂, 819

HOLDSHIP, S. J., see Frey, J. G.

HOLTON, D. M., see Edwards, P. P.

HOŁYST, R., and PONIEWIERSKI, A.: Study of the Landau bicritical point in dense systems of hard biaxial molecules, 193

HOUGEN, J. T., see de Haag, P. U. HOWARD, B. J., see Randall, R. W.

Howe, M. A.: Orientational correlations in the liquid halogens, 161

HÜTTNER, W., see Frank, U. E.

IGLESIAS-SILVA, G. A., see Nezbeda, I.

JANSSEN, R., see van der Mijden, J. A. M.

JOSLIN, C. G., GRAY, C. G., MICHELS, J. P. J., and KARKHECK, J.: The bulk viscosity of a square-well fluid, 535

KAHOL, P. K., and BODEN, N.: N.M.R. solid echoes in systems of dipolar-coupled inequivalent spins-1 or dipolar-coupled inequivalent pairs of spins-1/2, 833

KARKHECK, J., see Joslin, C. G.

KARNA, S. P., and GREIN, F.: Ab initio SCF and CI studies of the electric field gradient in LiH, 661

KARNA, S. P., GREIN, F., ENGELS, B., and PEYERIMHOFF, S. D.: Ab initio configuration—interaction studies of the ground state potential energy and hyperfine coupling constants of 35Cl₂, 549

KERL, K., see Hohm, U.

KLYNNING, L., see Balfour, W. J.

KORTBEEK, P. J., and SCHOUTEN, J. A.: Calculation of thermodynamic properties of dense fluid neon using statistical-mechanical perturbation theory. Part I: Method, potentials and results up to 1 GPa, 981

KORTBEEK, P. J., see Sun, T. F.

KORTBEEK, P. J., TEN SELDAM, C. A., and SCHOUTEN, J. A.: Calculation of thermodynamic properties of dense fluid neon using statistical-mechanical perturbation theory. Part II: Results up to 6 GPa and equations of state, 1001

KRAUSZ, E., see Stranger, R.

Kuvshinsky, N. G., Davidenko, N. A., and Reshetnyak, V. V.: On the influence of electron localization radius in a charge-transfer complex on photogeneration efficiency of current carriers in carbazole-containing semiconductors, 933

LABANI, B., GIRARD, C., and MAGHEZZI, S.: van der Waals interactions between a molecule and a small metallic sphere, 85

LABÍK, S., SMITH, W. R., Pospísil, R., and MALDEVSKŸ, A.: Non-spherical bridge function theory of molecular fluids. I. The hard-dumbbell fluid, 649

LAUNILA, O., see Balfour, W. J.

LEE, S. A., see Yenice, K. M.

LEVANT, D., see Moreh, R.

LEVESQUE, D., see Caillol, J. M.

LIU, X., FOSTER, S. C., WILLIAMSON, J. M., YU, L., and MILLER, T. A.: The spin-rotation interactions in the methoxy radical, 357

McDonald, I. R., see Alavi, A.

McEwan, K. J., Harrison, K. J., and Madden, P. A.: Polarisation and material dependence of degenerate four-wave mixing transients in molecular fluids, 1025

MADDEN, P. A., see McEwan, K. J.

MAGHEZZI, S., see Labani, B.

MAKAREWICZ, J.: Semiclassical and quantum mechanical pictures of the ro-vibrational motion of triatomic molecules, 903

MALESCIO, G.: Excess electrons in molten salts. Polaron theory of dilute Cs-CsI solutions, 895

MALIJEVSKŸ, A., see Labík, S.

MALLORY, F. B., see Beckmann, P. A.

MAN, P. P.: Measurement of quadrupolar coupling with a two-pulse sequence in solid-state N.M.R., 337

MARTINEZ, M. T., see Brouard, M. MARUANI, J., see Mezey, P. G. MEERTS, L., see de Haag, P. U.

MERCER, J. M.: Effective isotropic dipole-dipole pair potential, 625

MESTECHKIN, M. M., and WHYMAN, G. E.: Structural influence on ferromagnetic ordering in quasi-one-dimensional systems, 775

MEZEY, P. G., and MARUANI, J.: The concept of 'syntopy'. A continuous extension of the symmetry concept for quasi-symmetric structures using fuzzy-set theory, 97

MICHELS, J. P. J., see Joslin, C. G.

MILLER, T. A., see Liu, X.

MÖLLER, D., and FISCHER, J.: Vapour liquid equilibrium of a pure fluid from test particle method in combination with NpT molecular dynamics simulations, 463

MONTONE, A., and SACCHETTI, F.: Structure of the amorphous phase of sodium hydroxide, 1073

MORAN, G., see Stranger, R.

MOREH, R., and LEVANT, D.: NRPS study of nitric oxide adsorption on activated carbon fibre, 735

MOTTRAM, R. E., see Murrell, J. N. MUENTER, J. S., see Randall, R. W.

MURAD, S., and Evans, D. J.: Heat induced polarization in molecular fluids, 697

MURRELL, J. N., and MOTTRAM, R. E.: Potential energy functions for atomic solids, 571

NACHMAN, D. F., see Steimle, T. C.

NDIKUMANA, T., CARLEER, M., and COLIN, R.: Laser-induced fluorescence spectrum and radiative lifetimes of the gaseous PbSe molecule, 229

Neilson, G. W., see Adya, A. K.

NEZBEDA, I., and IGLESIAS-SILVA, G. A.: Primitive model of water. III. Analytic theoretical results with anomalies for the thermodynamic properties, 767

OGINO, Y., see Yamazaki, T. O'MAHONY, J., see Brouard, M. Ozawa, S., see Yamazaki, T.

PACKER, M. J., and RAYNES, W. T.: Electric field effects on the 13C and 19F nuclear shielding in HF and CH₃F, 391

Percus, J. K., and Zhang, M. O.: The quasi-one dimensional hard square gas, 347

- PEYERIMHOFF, S. D., see Anglada, J. PEYERIMHOFF, S. D., see Karna, S. P. PINES, A., see Gochin, M. PONIEWIERSKI, A., see Holyst, R. POSPÍSIL, R., see Labík, S. PRICE, S. L., see Wheatley, R. J. PYPER, N. C., see Edwards, P. P.
- QUACK, M., and SUHM, M. A.: Potential energy surface and energy levels of (HF)₂ and its D isotopomers, 791
- RANDALL, R. W., WILKIE, J. M., HOWARD, B. J., and MUENTER, J. S.: Infrared vibration-rotation spectrum and structure of OCS dimer, 839
- RAYNES, W. T., see Packer, M. J.
- RESHETNYAK, V. V., see Kuvshinsky, N. G.
- REYNHARDT, E. C.: An NMR, DSC and X-ray investigation of the disaccharides sucrose, maltose and lactose, 1083
- RITTGER, E.: The chemical potential of liquid xenon by computer simulation, 853
- RITTGER, E.: Can three-atom potentials be determined from thermodynamic data?, 867
- ROSEN, M. E., see Gochin, M.
- ROYEN, P., see Berg, L.-E.
- RUCKER, S. P., see Gochin, M.
- SACCHETTI, F., see Montone, A.
- SALMON, A., see Brown, M. F.
- SAN FABIAN, J., see Esteban, A. L.
- SCHMIDT, C., see Gochin, M.
- SCHOUTEN, J. A., see Kortbeek, P. J.
- SCHOUTEN, J. A., see Sun, T. F.
- SHIRLEY, J. E., see Steimle, T. C.
- SIMONS, J. P., see Brouard, M.
- Sinha, S. K.: Semiclassical statistical mechanics of a ν-dimensional fluid of hard ν-spheres. I. Equilibrium properties of dilute hard ν-sphere gas, 587
- SMITH, W. R., see Labik, S.
- SÖDERMAN, O., see Brown, M. F.
- SPOOREN, R., see de Haag, P. U.
- STEIMLE, T. C., NACHMAN, D. F., SHIRLEY, J. E., FLETCHER, D. A., and BROWN, J. M.: The microwave spectrum of NiH, 923
- STRANGER, R., MORAN, G., KRAUSZ, E., GÜDEL, H., and FURER, N.: Octahedral monomeric molybdenum(III). A magneto-optical study of Mo³⁺ doped in Cs₂NaYCl₆, 11
- SUHM, M. A., see Quack, M.
- SUN, T. F., and SCHOUTEN, J. A.: The importance of accurate numerical integration in perturbation theories of molecular liquids, 601
- Sun, T. F., Schouten, J. A., Ten Seldam, C. A., and Biswas, S. N.: Perturbation calculation of thermodynamic properties of liquid benzene using the six centre Lennard-Jones potential, 615
- SUN, T. F., SCHOUTEN, J. A., TEN SELDAM, C. A., and KORTBEEK, P. J.: An efficient algorithm for the solution of the correlation function for soft spherical repulsions, 607
- TEN SELDAM, C. A., see Kortbeek, P. J.
- TEN SELDAM, C. A., see Sun, T. F.
- TENNYSON, J., see Henderson, J. R.
- Tomasello, P., and von Niessen, W.: Electronic structure of lithium halide monomers and dimers: ionization energies and electron affinities, 1043

VAN DER MIJDEN, J. A. M., JANSSEN, R., and VEEMAN, W. S.: Analytical description of the $I = \frac{5}{2}$ quadrupole nutation experiment, 53

VEEMAN, W. S., see van der Mijden, J. A. M.

VEGIRI, A., and FARANTOS, S. C.: A classical dynamical investigation of the mechanism of electronic quenching of OH($A^2\Sigma^+$) in collisions with CO($X^1\Sigma^+$), 129 VON NIESSEN, W., see Tomasello, P.

WANG, J. Z., DAS, K. K., and BALASUBRAMANIAN, K.: Potential energy surfaces for insertion of Zr into H₂, 147

WEUNITZ, P., see Berg, L.-E.

WEIS, J. J., see Caillol, J. M.

WHEATLEY, R. J., and PRICE, S. L.: An overlap model for estimating the anisotropy of repulsion, 507

WHITE, J. W., see Wielopolski, P. A.

WHYMAN, G. E., see Mestechkin, M. M.

WIELOPOLSKI, P. A., and WHITE, J. W.: Dynamics of the intercalated layer in C₃₆Cs: dependence on the temperature and substrate potential, 959

Wielopolski, P. A., White, J. W., and Hanley, H. J. M.: Structure of a stage-3 Cs-graphite intercalate, 947

WILKIE, J. M., see Randall, R. W.

WILLIAMSON, J. M., see Liu, X.

WOKAUN, A., see Barnickel, P.

YAMAZAKI, T., OZAWA, S., and OGINO, Y.: Potential energies for methane adsorption in ion-exchanged ZSM-5 zeolite pore, 369

YENICE, K. M., LEE, S. A., and DOWNS, D. W.: Optical properties of methanol at high pressures, 973

Yu, J., see Liu, X.

ĸ,

ZHANG, M. Q., see Percus, J. K.

ZIMMERMAN, D. S., and BURNELL, E. E.: Size and shape effects on the orientation of solutes in nematic liquid crystals, 1059

